


201836 - Dreh Getriebe MM 1590 DM15 fix mit 2 i.S. FFH 1.341-1.590 GM600 Silber

Technische Zeichnung



						L		Nº
Silber	1590	15	600	1.341 - 1.590	260,5	1.486,5	10	201836

Schraubpositionstabelle

Nº		1	2	3	4	5	6	7	8	9	10	11	12	13	14
201836	9	18,5	91,5	270	360	428,5	674	830	920	1.119					

Zapfensitztable


Nº		Z1	Z2	Z3	Z4	
201836	2	315	875			

Lehren

			Nº
Einlegelehre MM für Getriebe fix mit Halter 48 mm	1.341 - 1.700	1	204775 ¹⁾

¹⁾Lehren für Getriebe und Höhenteil verwendbar.


Abmessungen Getriebekasten




Für Griffbefestigung SPAX-Schraube mit $\varnothing 5$ mm oder M5 Schraube verwenden.

Bohrbild


Für Holzfenster



Für Kunststoff- und Aluminiumfenster




Stanzbild




1. Stulp
2. Riegel

Klipsverbindung


Klipsverbindung einhängen



Klipsverbindung aushängen



Zahnkastenverbindung



Anpressdruckregulierung

i.S Zapfen und Verschlusszapfen

