



219444 - end piece for French casement drive gear 125 left/right silver 12mm air gap 13mm offset U-8/24/8

Technical drawing



| | | | | | | | | | | |
|--------|------------|------------|--------------|-------|---|----|---|----------|----|-----------|
| | | | | | | | | L | | No |
| silver | for timber | 12 air gap | 13 mm offset | Lh/Rh | 8 | 24 | 8 | 125 | 10 | 219444 |

Positioning

| | | | Application ranges | | |
|----------------------|----------------------------|---------------|--------------------|---------------|---------------|
| | | | EV 125 | End piece 260 | End piece 415 |
| Locking | French casement drive gear | | SRH | SRH | SRH |
| 2 HO-BO K+605 | Length | Cropping area | 2100 | | |
| | 2255 | 340 | ↑ | | |
| | | | 1915 | | |
| 2 HO-BO | | | 2380 | 2515 | 2670 |
| | 2255 | 340 | ↑ | ↑ | ↑ |
| 2 MF-BO | | | 2040 | 2175 | 2330 |
| 2 MF + 2 i.S. K+1030 | | | 2475 | 2660 | 2815 |
| | 2400 | 185 | ↑ | ↑ | ↑ |
| 2 MF-BO K+980 | | | 2340 | 2475 | 2630 |



219444 - end piece for French casement drive gear 125
left/right silver 12mm air gap 13mm offset U-8/24/8

Installation

